



Tempo[®]
HOT FOG

INSECTICIDE

IRAC INSECTICIDE GROUP CODE 3A

REG. NO L4478 Act No. 36 of 1947
Namibian Reg. No. N-AR 1610
Botswana Reg. No. W130414 of Act No. 18 of 1999

Before using this product read the label carefully.

A ready to use thermal fogging solution for the control of flies, mosquitoes, cockroaches, bedbugs, fishmoths, fleas, ants, crickets and stored product insect pests in buildings and empty food storage rooms.

ACTIVE INGREDIENT:

Cyfluthrin (pyrethroid) 2,2 g/l

REGISTRATION HOLDER:

Bayer (Pty.) Ltd.
Reg. No. 1968/011192/07
P.O. Box 143, ISANDO 1600
SOUTH AFRICA
TEL: (011) 921 5911


TEMPO[®] is a registered trademark of the Bayer Group.

UN No. 3082

25 l



Stored Product Pests • Cockroach



**HARMFUL
SKADELIK**



DISCLAIMER:

ALTHOUGH THIS PRODUCT HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS, FAILURE THEREOF MAY ENSUE AS A RESULT OF A WIDE RANGE OF REASONS. IF THIS IS SUSPECTED, KINDLY NOTIFY THE REGISTRATION HOLDER.

WARNINGS:

Handle with care. Harmful by inhalation, contact and swallowing. May cause irritation of the skin, eyes, mucous membranes and skin sensitization. Toxic to bees, fish and wildlife. Keep out of reach of children, uninformed persons and animals. Prior to fogging, close all doors, vents and windows and keep these closed for 1 hour after application. After this period, thoroughly air premises for 1 hour before re-entering. Store in a cool place away from food and feedstuffs. Always close poison supply valve before turning the thermal fogger off. Do not apply directly to grain or bagged commodities. Do not apply to animals. In case of poisoning call a doctor and make this label available to him.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids. In the case of signs of sensitivity, obtain medical advice. Do not inhale the spray mist. Wear protective clothing, overall, rubber gloves and respirator during application. Wash with soap and water after use or after accidental skin contact. Wash clothing thoroughly after day's work. Do not eat, drink or smoke whilst applying the product or before washing hands and face. Avoid contamination of food, feed, drinking water and eating utensils. Dispose of wash water where it will not contaminate food, grazing or water. Empty pesticide container by inverting it over the spray tank and allowing to drain for at least 30 seconds after the flow has slowed to a drip. Destroy container and do not use for any other purpose. Remove pets and aquaria.

SYMPTOMS OF POISONING:

If large amounts are ingested, the following symptoms may occur. Headache, Nausea, Dizziness, Drowsiness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary oedema and pneumonitis. Inhalation may provoke the following symptoms:

Cough, Shortness of breath, Cyanosis, Fever. Symptoms and hazards refer to the solvent.

FIRST AID TREATMENT:

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific antidote. Contraindication: derivatives of adrenaline

NOTE TO PHYSICIAN:

Treat symptomatically.


DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

Apply **Tempo® Hot Fog** by means of a suitable thermal fogger.

Re-entry period: Leave all windows, doors and vents closed for at least 1 hour after application. Thereafter, ventilate premises thoroughly for 1 hour.

PEST	DOSAGE	REMARKS
INDOORS Flying and crawling insects – flies, mosquitoes, cockroaches, bedbugs, fishmoths, fleas, ants, crickets	Apply at a rate between 1 and 2,6 mℓ / m³ air.	Close all doors, windows and vents before fogging. Use lower rate for direct contact killing of insects only.
STORED PRODUCT INSECT PESTS Rice weevil, lesser grain borer, confused flour beetle, rust red grain beetle and tropical warehouse moth		Apply as directed above for flying and crawling insects. Only use in empty store rooms.

On smooth surfaces such as glass and glazed tiles a residual of up to 4 weeks can be expected.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911 during office hours (9am – 5 pm). For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.
www.environmentalscience.bayer.co.za

Batch no.: See container
 Date manufactured: See container

www.environmentalscience.bayer.co.za
www.bayer.co.za